

# Safety Data Sheet

# Reward

# **SECTION 1. IDENTIFICATION**

Product Identifier Other Means of Identification	Reward Code No. 167
Recommended Use	Rubber and Vinyl Dressing.
<b>Restrictions on Use</b>	Use only as directed according to label instructions.
Manufacturer	Leysons Products, a division of 1787528 Ontario Inc., 1366 Sandhill Drive, Ancaster, Ontario, L9G 4V5, (905) 648-7832
Emergency Phone No.	Mark Bryans, (905) 648-7832 ext 351, Monday to Friday, 8:00 AM to 3:30 PM
	CANUTECH, 613-996-6666, 24-hr for Emergencies involving Dangerous Goods
SDS No.	0221

# **SECTION 2. HAZARD IDENTIFICATION**

#### Classification

Flammable liquid - Category 2; Skin irritation - Category 2; Eye irritation - Category 2A; Aspiration hazard - Category 1 Label Elements



Danger

Extremely flammable liquid and vapour. May be fatal if swallowed and enters airways. Causes skin and eye irritation.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No.	%	Other Identifiers	Other Names
Naphtha (petroleum), hydrotreated light	64742-49-0	30-60		
Naphtha (petroleum), heavy alkylate	64741-65-7	10-30		

#### Notes

Concentrations are expressed in % weight/weight.

# **SECTION 4. FIRST-AID MEASURES**

#### First-aid Measures

#### Inhalation

If irritation is experienced, remove person to fresh air.

Get medical advice or attention if you feel unwell or are concerned.

### Skin Contact

IF ON SKIN (or hair), remove all contaminated clothing and launder before reuse.

Rinse skin with plenty of water or shower.

Call a physician if irritation develops or persists.

# Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open.

If eye irritation persists, get medical advice or attention.

### Ingestion

Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. Immediately call a Poison Centre or doctor.

### Most Important Symptoms and Effects, Acute and Delayed

Harmful if swallowed.

May irritate the respiratory system.

May cause severe eye irritation or burns.

May cause skin irritation on prolonged contact.

### Immediate Medical Attention and Special Treatment

# Target Organs

Eyes, skin, respiratory system, digestive system, nervous system.

### Medical Conditions Aggravated by Exposure

Asthma, skin allergies.

# **SECTION 5. FIRE-FIGHTING MEASURES**

# Extinguishing Media

# Suitable Extinguishing Media

Carbon dioxide, dry chemical powder or appropriate foam.

### Specific Hazards Arising from the Product

Flammable liquid.

If involved in a fire, it may generate oxides of carbon, nitrogen or ammonia if heated above its boiling point.

### Special Protective Equipment and Precautions for Fire-fighters

Wear full fire fighting equipment and self contained breathing apparatus.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment, and Emergency Procedures

Wear protective gloves and eye protection as a precaution. Wear a NIOSH approved air-purifying respirator with an organic vapour cartridge. Increase ventilation to area or move leaking container to a well-ventilated and secure area. Eliminate all ignition sources. Use grounded, explosion-proof equipment.

### **Environmental Precautions**

Do not allow into any sewer, on the ground or into any waterway. If the spill is inside a building, prevent product from entering drains, ventilation systems and confined areas. Minimize the use of water to prevent environmental contamination.

### Methods and Materials for Containment and Cleaning Up

Eliminate all sources of ignition, flames or sources of electrical discharge.

Use non-sparking tools and explosion proof equipment in the case of large spills.

Use ventilation adequate to keep exposures (airborne levels of fumes / vapours) below recommended exposure limits. Contain and/or absorb spill with commercial absorbents and then place into a suitable container for disposal.

# **SECTION 7. HANDLING AND STORAGE**

#### **Precautions for Safe Handling**

Do not get in eyes, on skin or on clothing. Do NOT ingest. Do not breath gas/fumes/vapour/spray. Wear a NIOSH approved air- purifying respirator with an organic vapour cartridge. Wear gloves and eye protection as a precaution.

#### **Conditions for Safe Storage**

Store in a cool dry area away from incompatible materials. Keep out of reach of children in a tightly closed container away from food, drink and animal feed.

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

	ACGIH TLV®		OSHA PEL		AIHA WEEL	
Chemical Name	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Naphtha (petroleum), heavy alkylate	192 mg/m3					
Naphtha (petroleum), hydrotreated light			200 ppm			

#### **Appropriate Engineering Controls**

Use ventilation adequate to keep exposures (airborne levels of vapour) below the recommended exposure limits. Use local exhaust ventilation, if general ventilation is not adequate to control amount in the air.

#### **Individual Protection Measures**

#### **Eye/Face Protection**

Wear chemical safety goggles and face shield when contact is possible.

#### **Skin Protection**

Wear chemical protective clothing e.g. gloves, aprons, boots.

#### **Respiratory Protection**

Use in well ventilated areas. In case of insufficient ventilation, wear a NIOSH approved air-purifying respirator with an organic vapour cartridge.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

#### **Basic Physical and Chemical Properties**

DodourPetroleum distillateDodour ThresholdNot availableDotNot availableDotNot applicableMelting Point/Freezing PointNot available (melting); Not available (freezing)Boiling point/Initial boiling pointNot availableBoiling RangeNot availableFlash Point~ 20.5 °C (68.9 °F)Evaporation RateNot availableFlammability (solid, gas)Not availableJpper/Lower Flammability orNot available (upper); Not available (lower)Evapour PressureNot available/apour PressureNot available/apour Density (air = 1)Not available	2	•
Ddour ThresholdNot availableDdour ThresholdNot availableDditing Point/Freezing PointNot available (melting); Not available (freezing)Boiling point/Initial boiling pointNot availableBoiling RangeNot availableBoiling RangeNot availableFlash Point~ 20.5 °C (68.9 °F)Evaporation RateNot availableFlammability (solid, gas)Not availableJpper/Lower Flammability orNot available (upper); Not available (lower)Explosive LimitNot available/apour PressureNot available/apour Density (air = 1)Not available	Appearance	Clear red.
oHNot applicableMelting Point/Freezing PointNot available (melting); Not available (freezing)Boiling point/Initial boiling pointNot availableBoiling RangeNot availableBoiling RangeNot availableClash Point~ 20.5 °C (68.9 °F)Evaporation RateNot availableFlammability (solid, gas)Not availableJpper/Lower Flammability or Explosive LimitNot available (upper); Not available (lower)Zapour PressureNot availableZapour Density (air = 1)Not available	Odour	Petroleum distillate
Melting Point/Freezing PointNot available (melting); Not available (freezing)Boiling point/Initial boiling pointNot availableBoiling RangeNot availableFlash Point~ 20.5 °C (68.9 °F)Evaporation RateNot availableFlammability (solid, gas)Not availableJpper/Lower Flammability orNot available (upper); Not available (lower)Evapour PressureNot available/apour Density (air = 1)Not available	Odour Threshold	Not available
Boiling point/Initial boiling pointNot availableBoiling RangeNot availableBoiling RangeNot availableBoiling RangeNot availableFlash Point~ 20.5 °C (68.9 °F)Evaporation RateNot availableFlammability (solid, gas)Not availableJpper/Lower Flammability or Explosive LimitNot available (upper); Not available (lower)Zypour PressureNot availableVapour Density (air = 1)Not available	рН	Not applicable
Boiling RangeNot availableBoiling RangeNot availableFlash Point~ 20.5 °C (68.9 °F)Evaporation RateNot availableFlammability (solid, gas)Not availableJpper/Lower Flammability or Explosive LimitNot available (upper); Not available (lower)Zypour PressureNot available/apour Density (air = 1)Not available	Melting Point/Freezing Point	Not available (melting); Not available (freezing)
Flash Point~ 20.5 °C (68.9 °F)Evaporation RateNot availableFlammability (solid, gas)Not availableJpper/Lower Flammability orNot available (upper); Not available (lower)Explosive LimitNot available/apour PressureNot available/apour Density (air = 1)Not available	Boiling point/Initial boiling point	Not available
Evaporation RateNot availableFlammability (solid, gas)Not availableJpper/Lower Flammability or Explosive LimitNot available (upper); Not available (lower)/apour PressureNot available/apour Density (air = 1)Not available	Boiling Range	Not available
Flammability (solid, gas)Not availableJpper/Lower Flammability or Explosive LimitNot available (upper); Not available (lower)Apour PressureNot available/apour Density (air = 1)Not available	Flash Point	~ 20.5 °C (68.9 °F)
Jpper/Lower Flammability or Explosive Limit /apour PressureNot available (upper); Not available (lower)Not available /apour Density (air = 1)Not available	Evaporation Rate	Not available
Explosive Limit/apour PressureNot available/apour Density (air = 1)Not available	Flammability (solid, gas)	Not available
/apour Density (air = 1) Not available	Upper/Lower Flammability or Explosive Limit	Not available (upper); Not available (lower)
	Vapour Pressure	Not available
Relative Density (water = 1) Not available	Vapour Density (air = 1)	Not available
	Relative Density (water = 1)	Not available

SDS No.: 0221

Page 03 of 06

Solubility Partition Coefficient, n- Octanol/Water (Log Kow)	Insoluble in water; Not available (in other liquids) Not available
Auto-ignition Temperature Decomposition Temperature Viscosity	Not available Not available Not available (kinematic); Not available (dynamic)

# SECTION 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions of use.

**Chemical Stability** 

Normally stable.

#### Possibility of Hazardous Reactions

May catch fire.

#### Conditions to Avoid

High temperatures. Freezing. Incompatible materials.

#### **Incompatible Materials**

Strong acids (e.g. hydrochloric acid), strong oxidizing agents (e.g. perchloric acid), strong reducing agents (e.g. hydrides), strong bases (e.g. sodium hydroxide).

### **Hazardous Decomposition Products**

May include but are not limited to oxides of carbon, nitrogen and ammonia.

# SECTION 11. TOXICOLOGICAL INFORMATION

#### Likely Routes of Exposure

Inhalation. Skin contact. Skin absorption. Eye contact. Ingestion.

#### Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Naphtha (petroleum), heavy alkylate	> 5900 mg/L (rat) (4-hour exposure)	> 7600 mg/kg (rat)	> 3040 mg/kg (rat)
Naphtha (petroleum), hydrotreated light	> 23 mg/L (rat) (4-hour exposure)	> 5800 mg/kg (rat)	> 2920 mg/kg (rabbit)

#### Skin Corrosion/Irritation

May cause irritation or symptoms such as redness, edema, drying, defatting or cracking of the skin.

### Serious Eye Damage/Irritation

May cause severe irritation or burns.

#### STOT (Specific Target Organ Toxicity) - Single Exposure

### Inhalation

May cause irritation of the respiratory system.

#### **Skin Absorption**

May cause irritation on prolonged contact.

#### Ingestion

Product Identifier:Reward - Ver. 1Date of Preparation:November 24, 2021Date of Last Revision:

May cause burns or irritation of the digestive system including nausea or vomiting. Harmful if swallowed.

### **Aspiration Hazard**

May be drawn into the lungs (aspirated) if swallowed or vomited.

### STOT (Specific Target Organ Toxicity) - Repeated Exposure

No chronic effects are expected provided adequate person protection is taken during usage.

### Respiratory and/or Skin Sensitization

May irritate the respiratory system.

### Carcinogenicity

Not known to cause cancer.

### **Reproductive Toxicity**

### Development of Offspring

Not known to harm the unborn child.

### Sexual Function and Fertility

Not known to cause effects on sexual function or fertility.

### Effects on or via Lactation

Not known to cause effects on or via lactation.

### Germ Cell Mutagenicity

Not known to be a mutagen.

### Interactive Effects

No information was located.

# **SECTION 12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

May cause long-term adverse effects in the aquatic environment.

### Persistence and Degradability

May cause long-term adverse effects in the aquatic environment.

#### **Bioaccumulative Potential**

No information was located.

#### **Mobility in Soil**

No information was located.

# SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal Methods**

Dispose of contents and container in accordance with local, regional, national and international regulations. Do not allow product to enter waterways.

### **SECTION 14. TRANSPORT INFORMATION**

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
Canadian TDG	1993	Flammable Liquids, N.O.S.	3	II

**Special Precautions** Please note: May be shipped as a Limited Quantity when transported in containers no larger than 1 litre in packages not exceeding 30 kg gross mass.

### Transport in Bulk according to International Maritime Organization Instruments

Not applicable

# **SECTION 15. REGULATORY INFORMATION**

#### Safety, Health and Environmental Regulations Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by the Controlled Products Regulations.

# **SECTION 16. OTHER INFORMATION**

SDS Prepared By	Mark Bryans
Phone No.	(905) 648-7832 ext 351
Date of Preparation	November 24, 2021
Disclaimer	To the best of our knowledge, the information contained herein is accurate. However, the user of this product assumes all risks and responsibilities relating to the use of this product. No representation of warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information or product to which the information refers.

Product Identifier:		
Date of Preparation:		
Date of Last Revision:		

Reward - Ver. 1 November 24, 2021 SDS No.: 0221

Page 06 of 06

Created using CAN/rite