



Safety Data Sheet

d'Limokleen Plus

SECTION 1. IDENTIFICATION

Product Identifier d'Limokleen Plus
Other Means of Identification Code No. 339
Recommended Use Cleaner / Degreaser.
Restrictions on Use Use only as directed according to label instructions.
Manufacturer Leysons Products, a division of 1787528 Ontario Inc., 1366 Sandhill Drive, Ancaster, Ontario, L9G 4V5, (905) 648-7832
Emergency Phone No. Mark Bryans, (905) 648-7832 ext 351, Monday to Friday, 8:00 AM to 3:30 PM
CANUTECH, 613-996-6666, 24-hr for Emergencies involving Dangerous Goods
SDS No. 0635

SECTION 2. HAZARD IDENTIFICATION

Classification

Skin irritation - Category 2; Eye irritation - Category 2B

Label Elements



Warning

May be harmful if swallowed.
May cause skin or eye irritation.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers	Other Names
Sodium xylenesulfonate	1300-72-7	5-10		
Tetrasodium N,N-bis(carboxymethyl)-L-glutamate	51981-21-6	5-10		
Alcohols, C9-11, ethoxylated, liquids	68439-46-3	1-5		
Methanesulfonic acid	75-75-2	0.1-0.5		
Alcohols, C12-14-secondary, ethoxylated, liquids	84133-50-6	0.1-1.0		

Notes

Concentrations are expressed in % weight/weight.

Product Identifier: d'Limokleen Plus - Ver. 1
Date of Preparation: October 05, 2020
Date of Last Revision:

SDS No.: 0635

Page 01 of 06

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

If irritation is experienced, remove person to fresh air.
Get medical advice or attention if you feel unwell or are concerned.

Skin Contact

IF ON SKIN (or hair), remove all contaminated clothing and launder before reuse.
Rinse skin with plenty of water or shower.
Call a physician if irritation develops or persists.

Eye Contact

Immediately rinse eyes with lukewarm water for 20 minutes while holding eyelids open. If eye irritation persists, get medical advice or attention.

Ingestion

In case of ingestion, call a doctor or anti-poison Centre.

Most Important Symptoms and Effects, Acute and Delayed

May cause skin irritation on prolonged contact.
May be harmful if swallowed.

Immediate Medical Attention and Special Treatment

Target Organs

Eyes, skin, respiratory system, digestive system.

Medical Conditions Aggravated by Exposure

Skin allergies.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Not combustible. Use extinguishing agent suitable for surrounding fire.

Unsuitable Extinguishing Media

None known.

Specific Hazards Arising from the Product

This product presents no unusual hazards in a fire situation.
If involved in a fire, it may generate oxides of carbon, nitrogen or ammonia if heated above its boiling point.

Special Protective Equipment and Precautions for Fire-fighters

Wear full fire fighting equipment and self contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Wear protective gloves and eye protection as a precaution.

Environmental Precautions

Do not allow into any sewer, on the ground or into any waterway.
If the spill is inside a building, prevent product from entering drains, ventilation systems and confined areas.

Methods and Materials for Containment and Cleaning Up

Contain and/or absorb spill with commercial absorbents and then place into a suitable container for disposal.
Large spills can be neutralized with sodium carbonate.

SECTION 7. HANDLING AND STORAGE

Product Identifier: d'Limokleen Plus - Ver. 1
Date of Preparation: October 05, 2020
Date of Last Revision:

SDS No.: 0635

Page 02 of 06

Precautions for Safe Handling

Do not get in eyes.
Avoid repeated or prolonged skin contact.
Wear personal protective equipment to avoid direct contact with this chemical.
Keep containers tightly sealed when not in use.
Wear gloves and eye protection as a precaution.

Conditions for Safe Storage

Keep out of reach of children in a tightly closed container away from food, drink and animal feed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Methanesulfonic acid	Not established					
Sodium xylenesulfonate	Not established					
Alcohols, C9-11, ethoxylated, liquids	Not established		Not established			
Tetrasodium N,N-bis(carboxymethyl)-L-glutamate	Not established					

Appropriate Engineering Controls

Use ventilation adequate to keep exposures (airborne levels of vapour) below the recommended exposure limits.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles and face shield when contact is possible.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Respiratory Protection

Not normally required if product is used as directed.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance	Clear orange liquid.
Odour	Citrus
Odour Threshold	Not available
pH	~ 10.6
Melting Point/Freezing Point	Not available (melting); 0 °C (32 °F) (freezing)
Boiling point/Initial boiling point	100 °C
Boiling Range	Not available
Flash Point	Not applicable
Evaporation Rate	Not available
Flammability (solid, gas)	Not available
Upper/Lower Flammability or Explosive Limit	Not available (upper); Not available (lower)
Vapour Pressure	Not available
Vapour Density (air = 1)	Not available

Product Identifier: d'Limokleen Plus - Ver. 1
Date of Preparation: October 05, 2020
Date of Last Revision:

SDS No.: 0635

Page 03 of 06

Relative Density (water = 1)	Not available
Solubility	Soluble in water; Not available (in other liquids)
Partition Coefficient, n-Octanol/Water (Log Kow)	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Viscosity	Not available (kinematic); Not available (dynamic)

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions of use.

Chemical Stability

Normally stable.

Conditions to Avoid

High temperatures.

Freezing.

Incompatible materials.

Incompatible Materials

Strong bases (e.g. sodium hydroxide).

Strong oxidizing agents (e.g. perchloric acid).

Strong reducing agents (e.g. hydrides).

Hazardous Decomposition Products

May include but are not limited to oxides of carbon, nitrogen and ammonia.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Inhalation.

Skin contact.

Skin absorption.

Eye contact.

Ingestion.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Methanesulfonic acid		649 mg/kg (rat)	
Sodium xylenesulfonate	Not available	7200 mg/kg (rat)	Not available
Alcohols, C9-11, ethoxylated, liquids		1378 mg/kg (rat)	> 2000 mg/kg (rabbit)
Alcohols, C12-14-secondary, ethoxylated, liquids		> 3000 mg/kg (rat)	> 2000 mg/kg (rabbit)
Tetrasodium N,N-bis(carboxymethyl)-L-glutamate		> 2,000 mg/kg (rat)	

Skin Corrosion/Irritation

May cause irritation or symptoms such as redness, edema, drying, defatting or cracking of the skin.

Serious Eye Damage/Irritation

May cause serious eye irritation based on information for closely related materials.

STOT (Specific Target Organ Toxicity) - Single Exposure

Product Identifier: d'Limokleen Plus - Ver. 1

Date of Preparation: October 05, 2020

Date of Last Revision:

SDS No.: 0635

Page 04 of 06

Inhalation

Not expected to cause any significant irritation.

Skin Absorption

May cause irritation on prolonged contact.

Ingestion

May cause burns or irritation of the digestive system including nausea or vomiting.

Aspiration Hazard

May be drawn into the lungs (aspirated) if swallowed or vomited.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

No chronic effects are expected provided adequate person protection is taken during usage.

Respiratory and/or Skin Sensitization

Not expected to produce any respiratory system problems when used in a well ventilated area.

Carcinogenicity

Not known to cause cancer.

Reproductive Toxicity**Development of Offspring**

Not known to harm the unborn child.

Sexual Function and Fertility

Not known to cause effects on sexual function or fertility.

Effects on or via Lactation

Not known to cause effects on or via lactation.

Germ Cell Mutagenicity

Not known to be a mutagen.

Interactive Effects

No information was located.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity**

May cause long-term adverse effects in the aquatic environment.

Persistence and Degradability

May cause long-term adverse effects in the aquatic environment.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal Methods**

Dispose of contents and container in accordance with local, regional, national and international regulations.
Dispose of or recycle empty containers through an approved waste management facility.

SECTION 14. TRANSPORT INFORMATION

Not regulated under Canadian TDG regulations.

Transport in Bulk according to International Maritime Organization Instruments

Not applicable

SECTION 15. REGULATORY INFORMATION**Safety, Health and Environmental Regulations****Canada**

Product Identifier: d'Limokleen Plus - Ver. 1

Date of Preparation: October 05, 2020

Date of Last Revision:

SDS No.: 0635

Page 05 of 06

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by the Controlled Products Regulations.

SECTION 16. OTHER INFORMATION

SDS Prepared By Mark Bryans
Phone No. (905) 648-7832 ext 351
Date of Preparation October 05, 2020
Disclaimer To the best of our knowledge, the information contained herein is accurate. However, the user of this product assumes all risks and responsibilities relating to the use of this product. No representation of warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information or product to which the information refers.

Product Identifier: d'Limokleen Plus - Ver. 1
Date of Preparation: October 05, 2020
Date of Last Revision:

SDS No.: 0635

Page 06 of 06